

FOR EVERY STANDARD: THE PERFECT CASE

Dear customers,

our versatile range offers you high-quality threading solutions for metric, fine metric, as well as American and British applications.

We have assembled these tools into comprehensive sets to cover all common standards – **securely stored and always within reach in high-quality, shatterproof premium cases.**

INCL.
GSR SILVER
TOOL
HOLDERS

► HIGH-QUALITY CASE SERIES

ALL TOOLS SAFELY AND SECURELY STORED

Our cases are available in **three sizes** – tailored to the tool selection that best suits your needs. The closures and continuous pin hinges provide **exceptional stability**. Thanks to the modern foam inserts, all tools are neatly organized and securely stored.

All sets come equipped with **premium GSR SILVER tool holders!**



M/L

**THE TOOLS
YOU NEED: NEATLY
ORGANIZED AND
READY TO USE**



Interchangeable safety latches



Stackable and non-slip



Divider panel with locking mechanism



Ergonomic handle

► EXTENSIVE RANGE

PRECISION-GROUND HSS TOOLS INCLUDING
PROFESSIONAL HOLDING TOOLS FROM THE GSR SILVER SERIES
IN HIGH-QUALITY CASES MADE IN EUROPE

Sets for internal and external threads

Compatible with thread types

UNC, UNF, BSP, BSW, NPT, M and MF

- hand tap sets
- matching dies
- adjustable tap wrenches
- die holders
- screwdrivers
- pitch gauges

Our tools comply with the standards

**DIN 1814, DIN 2181, DIN 2184-1, DIN 5157,
DIN EN22568 and DIN EN24231.**



Two-way
folding latches



Rubberized grips



Water- and
dustproof




European certified
foam

XL



The foam layers
are stacked inside
the case.

						
BSP	27 M B08333100	1/8-28 1/4-19 3/8-19 1/2-14 3/4-14 1"-11		30 × 11 38 × 10 45 × 14 55 × 16 65 × 18	No. 3 No. 5	pitch gauge 20 sheet Ww 55°, screwdriver
	33 XL B08333120	1/4-19 3/8-19 1/2-14 3/4-14 1"-11 1.1/4-11 1.1/2-11		38 × 10 45 × 14 55 × 16 65 × 18 75 × 20 steel 90 × 22 steel	No. 2 No. 4 No. 7 steel with level vial	pitch gauge 28 sheet Ww 55°, screwdriver, 250 ml GSR thread cutting fluid
UNC	46 M B08333150	1/4-20 5/16-18 3/8-16 7/16-14 1/2-13 5/8-11 3/4-10 7/8-9 1"-8		20 × 7 25 × 9 30 × 11 38 × 14 45 × 18 55 × 22	No. 1.1/2 No. 4	pitch gauge 22 sheet UNC 60°, screwdriver
	65 XL B08333160	1/4-20 5/16-18 3/8-16 7/16-14 1/2-13 5/8-11 3/4-10 7/8-9 1"-8 1.1/8-7 1.1/4-7 1.3/8-6 1.1/2-6		20 × 7 25 × 9 30 × 11 38 × 14 45 × 18 55 × 22 65 × 25 75 × 20 steel	No. 2 No. 4 No. 6	pitch gauge 22 sheet UNC 60°, screwdriver, 250 ml GSR thread cutting fluid
UNF	37 M B08333200	1/4-28 5/16-24 3/8-24 7/16-20 1/2-20 5/8-18 3/4-16 7/8-14 1"-12		20 × 7 25 × 9 30 × 11 38 × 10 45 × 14 55 × 16	No. 1.1/2 No. 4	pitch gauge 16 sheet UNF 60°, screwdriver
	54 XL B08333210	1/4-28 5/16-24 3/8-24 7/16-20 1/2-20 5/8-18 3/4-16 7/8-14 1"-12 1.1/8-12 1.1/4-12 1.3/8-12 1.1/2-12		20 × 5 20 × 7 25 × 9 30 × 11 38 × 10 45 × 14 55 × 16 65 × 18 75 × 20 steel	No. 2 No. 4 No. 6	pitch gauge 16 sheet UNF 60°, screwdriver, 250 ml GSR thread cutting fluid
BSW	46 M B08333250	1/4-20 5/16-18 3/8-16 7/16-14 1/2-12 5/8-11 3/4-10 7/8-9 1"-8		20 × 7 25 × 9 30 × 11 38 × 14 45 × 18 55 × 22	No. 1.1/2 No. 4	pitch gauge 20 sheet Ww 55°, screwdriver
	65 XL B08333260	1/4-20 5/16-18 3/8-16 7/16-14 1/2-12 5/8-11 3/4-10 7/8-9 1"-8 1.1/8-7 1.1/4-7 1.3/8-6 1.1/2-6		20 × 7 25 × 9 30 × 11 38 × 14 45 × 18 55 × 22 65 × 25 75 × 20 steel	No. 2 No. 4 No. 6	pitch gauge 28 sheet Ww 55°, screwdriver, 250 ml GSR thread cutting fluid
NPT	21 M B08333600	1/8-27 1/4-18 3/8-18 1/2-14 3/4-14 1"-11,5		30 × 11 38 × 14 45 × 18 55 × 22 65 × 25	No. 3 No. 5	pitch gauge 30 sheet US 60°, screwdriver
	32 XL B08333660	1/8-27 1/4-18 3/8-18 1/2-14 3/4-14 1"-11,5 1.1/4-11,5 1.1/2-11,5 2"-11,5		30 × 11 38 × 14 45 × 18 55 × 22 65 × 25 75 × 30 steel 90 × 36 steel 105 × 36 steel	No. 3 No. 5 No. 7 steel with level vial	pitch gauge 30 sheet US 60°, screwdriver, 250 ml GSR thread cutting fluid
M	65 L B08333850	M 5 M 6 M 8 M 10 M 12 M 14 M 16 M 18 M 20 M 22 M 24 M 27 M 30		20 × 7 25 × 9 30 × 11 38 × 14 45 × 18 55 × 22 65 × 25	No. 1 No. 3 No. 5	pitch gauge 52 sheet M/Ww 55°, screwdriver, 100 ml GSR thread cutting fluid
	69 L B08333820	M 3 M 4 M 5 M 6 M 8 M 10 M 12 M 14 M 16 M 18 M 20 + twist drill : 2,5 3,3 4,2 5 6,8 8,5 10,2 12 14 15,5 17,5		20 × 5 20 × 7 25 × 9 30 × 11 38 × 14 45 × 18	No. 1 No. 2 No. 3	pitch gauge 24 sheet M, screwdriver, 100 ml GSR thread cutting fluid, tool holder No. 1 No. 2 (both with ratchet and level vial)
MF	50 M B08333870	6 × 0,75 8 × 0,75 8 × 1 10 × 1 12 × 1 12 × 1,5 14 × 1,25 14 × 1,5 16 × 1,5 18 × 1,5 20 × 1,5 22 × 1,5 24 × 1,5		20 × 7 25 × 9 30 × 11 38 × 10 45 × 14 55 × 16	No. 1 No. 4	pitch gauge 24 sheet M, screwdriver, 100 ml GSR thread cutting fluid